



Drug Coverage Policy

Effective Date.....07/15/2024

Coverage Policy Number.....IP0377

Policy Title..... Qulipta

Migraine – Qulipta

- Qulipta® (atogepant tablets – AbbVie)

INSTRUCTIONS FOR USE

The following Coverage Policy applies to health benefit plans administered by Cigna Companies. Certain Cigna Companies and/or lines of business only provide utilization review services to clients and do not make coverage determinations. References to standard benefit plan language and coverage determinations do not apply to those clients. Coverage Policies are intended to provide guidance in interpreting certain standard benefit plans administered by Cigna Companies. Please note, the terms of a customer’s particular benefit plan document [Group Service Agreement, Evidence of Coverage, Certificate of Coverage, Summary Plan Description (SPD) or similar plan document] may differ significantly from the standard benefit plans upon which these Coverage Policies are based. For example, a customer’s benefit plan document may contain a specific exclusion related to a topic addressed in a Coverage Policy. In the event of a conflict, a customer’s benefit plan document always supersedes the information in the Coverage Policies. In the absence of a controlling federal or state coverage mandate, benefits are ultimately determined by the terms of the applicable benefit plan document. Coverage determinations in each specific instance require consideration of 1) the terms of the applicable benefit plan document in effect on the date of service; 2) any applicable laws/regulations; 3) any relevant collateral source materials including Coverage Policies and; 4) the specific facts of the particular situation. Each coverage request should be reviewed on its own merits. Medical directors are expected to exercise clinical judgment and have discretion in making individual coverage determinations. Coverage Policies relate exclusively to the administration of health benefit plans. Coverage Policies are not recommendations for treatment and should never be used as treatment guidelines. In certain markets, delegated vendor guidelines may be used to support medical necessity and other coverage determinations.

Cigna Healthcare Coverage Policy

OVERVIEW

Qulipta, a calcitonin gene-related peptide (CGRP) receptor antagonist, is indicated for the **preventive treatment of migraine** in adults.¹

Disease Overview

Migraine is a common, ongoing condition marked by paroxysmal, unilateral attacks of moderate to severe throbbing headache.² Migraines are aggravated by routine physical activity (e.g., walking or climbing stairs) and associated with nausea, vomiting, and/or photophobia and phonophobia. Migraines have been defined as chronic or episodic. Chronic migraine is described by the International Headache Society as headache occurring on ≥ 15 days/month for more than 3 months, which has the features of migraine headache on ≥ 8 days/month. Episodic migraine is characterized by headaches that occur < 15 days/month.

Guidelines

An updated assessment of the **preventive and acute treatment of migraine** by the **American Headache Society** (AHS) [2018; update 2021] reaffirms previous migraine guidelines.^{3,4} Patients with migraine should be considered for preventive treatment in the following situations: when attacks significantly interfere with patients' daily routines despite acute treatment; frequent attacks (≥ 4 monthly headache days); at least moderate disability (Migraine Disability Assessment [MIDAS] score ≥ 11 or six-item Headache Impact Test [HIT-6] score > 50); contraindication to, failure, overuse, or adverse events with acute treatments; or patient preference. Before developing a preventive treatment plan, the appropriate use (e.g., drug type, route and timing of administration, frequency) of acute treatments should be initiated and coupled with education and lifestyle modifications. All patients with migraine should be offered a trial of acute treatment. Based on the level of evidence for efficacy and the American Academy of Neurology scheme for classification of evidence, the following oral treatments have established efficacy and should be offered for migraine prevention: antiepileptic drugs (**divalproex sodium, valproate sodium, topiramate** [not for women of childbearing potential without a reliable method of birth control]); beta-blockers (**metoprolol, propranolol, timolol**); and **frovatriptan** (for short-term preventive treatment of menstrual migraine). The following treatments are probably effective and should be considered for migraine prevention: antidepressants (**amitriptyline, venlafaxine**); beta-blockers (**atenolol, nadolol**); and angiotensin receptor blockers (**candesartan**).

The **AHS** issued an update to their position statement (2024) specifically regarding therapies targeting CGRP for the prevention of migraine.⁵ The evidence for the efficacy, tolerability, and safety of CGRP-targeting migraine preventive therapies (specifically, the monoclonal antibodies: Aimovig [erenumab-aooe subcutaneous {SC} injection], Ajovy[®] [fremanezumab-vfrm SC injection], Emgality[®] [galcanezumab-gnlm SC injection], and Vyepti[®] [eptinezumab-jjmr intravenous infusion], and the gepants: Nurtec[®] ODT [rimegepant orally disintegrating tablets] and Qulipta[®] [atogepant tablets]) is substantial and consistent across different individual CGRP-targeting treatments. Extensive "real-world" clinical experience corroborates clinical trials. This data indicates that the efficacy and tolerability of CGRP-targeting therapies are equal to or greater than those of previous first-line therapies. The CGRP-targeting therapies should be considered as a first-line approach for migraine prevention along with previous first-line treatments without a requirement for prior failure of other classes of migraine preventive treatment. Additionally, Botox[®] (onabotulinumtoxinA SC injection) is considered a first-line therapy for prevention of chronic migraine.

Medical Necessity Criteria

Qulipta is considered medically necessary when the following criteria are met:

FDA-Approved Indication

- 1. Migraine Headache Prevention.** Approve for 1 year if the patient meets the following (A, B, C, and D):
 - A)** Patient is ≥ 18 years of age; AND
 - B)** Patient has ≥ 4 migraine headache days per month (prior to initiating a migraine-preventive medication); AND
 - C)** If the patient is currently taking Qulipta, patient has had a significant clinical benefit from the medication as determined by the prescriber; AND

Note: Examples of significant clinical benefit include a reduction in the overall number of migraine days per month or a reduction in number of severe migraine days per month from the time that Qulipta was initiated.

D) Preferred product criteria is met for the product as listed in the below table.

Individual and Family Plans:

Product	Criteria
Qulipta (atogepant)	Failure, contraindication, or intolerance to Emgality

When coverage is available and medically necessary, the dosage, frequency, duration of therapy, and site of care should be reasonable, clinically appropriate, and supported by evidence-based literature and adjusted based upon severity, alternative available treatments, and previous response to therapy.

Receipt of sample product does not satisfy any criteria requirements for coverage.

Conditions Not Covered

Any other use is considered experimental, investigational, or unproven, including the following (this list may not be all inclusive; criteria will be updated as new published data are available):

1. Concurrent Use with Another Calcitonin Gene-Related Peptide (CGRP) Inhibitor Being Prescribed for Migraine Headache Prevention.

Note: CGRP inhibitors that are indicated for migraine headache prevention include Aimovig (erenumab-aooe subcutaneous injection), Ajovy (fremanezumab-vfrm subcutaneous injection), Emgality (galcanezumab-gnlm subcutaneous injection), Vyepti (eptinezumab-jjmr intravenous infusion), Nurtec ODT (rimegepant sulfate orally disintegrating tablets), and Qulipta (atogepant tablets). Aimovig, Ajovy, Emgality, and Vyepti are injectable CGRP inhibitors for migraine prevention and have not been studied for use in combination with another agent in the same class.⁶⁻⁹ Nurtec ODT is an oral CGRP inhibitor indicated for the acute treatment of migraine and for preventive treatment of episodic migraine.¹⁰ Clinical trials of Nurtec ODT for the prevention of episodic migraine did not permit the use of a concomitant medication that acts on the CGRP pathway.

References

1. Qulipta® tablets [prescribing information]. Madison, NJ: AbbVie; April 2023.
2. MacGregor EA. In the clinic. Migraine. *Ann Intern Med.* 2017;166(7):ITC49-ITC64.
3. American Headache Society. The American Headache Society position statement on integrating new migraine treatments into clinical practice. *Headache.* 2019;59:1-18.
4. Ailani J, Burch RC, Robbins MS, on behalf of the Board of Directors of the American Headache Society. The American Headache Society Consensus Statement: Update on integrating new migraine treatments into clinical practice. *Headache.* 2021;61(7):1021-1039.
5. Charles AC, Digre KB, Goadsby PJ, et al; American Headache Society. Calcitonin gene-related peptide-targeting therapies are a first-line option for the prevention of migraine: An American Headache Society position statement update. *Headache.* 2024 Mar 11. Epub ahead of print.
6. Aimovig® subcutaneous injection [prescribing information]. Thousand Oaks, CA: Amgen; October 2022.
7. Ajovy® subcutaneous injection [prescribing information]. North Wales, PA: Teva; September 2021.
8. Emgality® subcutaneous injection [prescribing information]. Indianapolis, IN: Lilly; May 2022.
9. Vyepti® intravenous injection [prescribing information]. Bothell, WA: Lundbeck; October 2022.

10. Nurtec® ODT orally disintegrating tablets [prescribing information]. New Haven, CT: Biohaven; April 2022.

Revision Details

Type of Revision	Summary of Changes	Date
Annual Revision	Policy Name Change: Updated Policy Name from "Atogepant" to "Migraine – Qulipta." Migraine Headache Prevention: The criteria requiring a patient to have tried botox or at least two standard prophylactic (preventive) pharmacologic therapies, each from a different pharmacologic class, and requiring that a patient has had inadequate efficacy or adverse event(s) severe enough to warrant discontinuation of those therapies have been removed. Updated the requirement from "prior to initiating Qulipta" to "prior to initiating a migraine-preventive medication," regarding patients needing to have 4 or more migraine headache days per month. Added preferred product criteria for Individual and Family Plans.	07/15/2024

The policy effective date is in force until updated or retired

"Cigna Companies" refers to operating subsidiaries of The Cigna Group. All products and services are provided exclusively by or through such operating subsidiaries, including Cigna Health and Life Insurance Company, Connecticut General Life Insurance Company, Evernorth Behavioral Health, Inc., Cigna Health Management, Inc., and HMO or service company subsidiaries of The Cigna Group. © 2024 The Cigna Group.